1.Product Name And Picture



Mobile-2:00218917333191 Mobile-1:00447477838391

Miza company for Import and Export.

Email: Eng.elyatim@gmail.com.

Tel-01: +447477838391 Tel-02: +218917333191

Price:

Model	500*2	
BAG MACHINE	USD9700	
Extra Parts:		
PUNCHING	USD4500	
JAPANESE SERVO	USD2700	
FEEDING MOTOR	USD2400	
TOTAL PRICE	USD19300.00	
Max Bag Width	480*2mm	
Max Bag Length	600mm	

Notice: the machine with Punching+servo+feeding motor configration that the speed can reach 300pcs/per mins per line.

Video: https://youtu.be/KNUR8Z6RTOk

https://youtu.be/9NouMq2-eUc

Servo: https://youtu.be/XYiAyPatqLo

- 1. Port of departure: WENZHOU CHINA
- 2. Port of destination:
- 3. Packing: Export-standard Sea worthy Package.
- 4. Shipping Mark: to be determined at customers' option.
- 5. Terms of payment: 30% T/T Deposit, the balance before shipment
- 6. Delivery time: Within 15-30 working days after received the deposit
- 7. Quality Guarantee: 1 year, the seller guarantee the machines are 100% new. The above clause is ONLY effective under the machine is being properly used, any artificial misuse or destroy prepensely is not within the limit of Quality Guarantee.
- Supplementary Condition: If the buyer need seller's engineer to go to his factory to help install and test the machine ,please be kindly bear their visa ,go and return tickets, lodging and eating ,salary (USD100/day).
- 9. validity of offer :30day
- 10. description as next page

Mobile-1:00447477838391 Mobile-2:00218917333191

Miza company for Import and Export.

Email: Eng.elyatim@gmail.com.
Tel-01: +447477838391 Tel-02: +218917333191

2. Main Technical Description

Usage and features:

It is suitable for hot sealing and cutting printed or not printed HDPE LDPE plastic film.

Performance and allocations:

- 1.Especially designed for ho sealing and cutting of T-shirt bag.It can be punched automatically in two production line which will increase the production and save the worker
- 2.Photocell for accurate registration of film printing points if the photocell can't catch printing point,The machine will stop automatically
- 3. Invertor control speed, easy operation, reduce electric consumption
- 4. Automatic stopping when run out of film
- 5. Strong sealing and output bags being tear up neatly
- 6.Punching machine used air and liquid pressurized cylinder, so the noise is low and the gas consumption is little.

Main technical parameters:

Model	GZDFR500*2	
Max Bag Width	470mm*2	
Max Bag Length	300-600mm	
Max Feeding Diameter	800mm	
Producing Speed	450pcs/min	
Film Thickness	0.01-0.035mm	
Main Motor(KW)	1.7KW	
Main Power(KW)	18KW	
Machine weight	2400KG	
Machine size(L*W*H)	5600*1650*1900mm	

Main Parts:

Parts Name	From	
Main Motor	SHANGHAI	
Servo Motor	CHINA or Japan	
Computer	TAIWAN	
Transformer	CHINA	

Mobile-1:00447477838391 Mobile-2:00218917333191

3. Clearly Picture





Mobile-1:00447477838391 Mobile-2:00218917333191






Mobile-1:00447477838391 Mobile-2:00218917333191



Mobile-1:00447477838391 Mobile-2:00218917333191











4. Spare Parts

No	Item	quantity	unit
1	Tool box	1	set
2	Spring	10	pcs
3	Teflon	2	pcs
4	Silicon	1	pcs
5	Thermocouple	1	pcs
6	solid state relay(15A)	1	pcs
7	Holzer switch	1	pcs
8	magnetic valve	1	pcs
9	Heating Tube	1	Pcs
10	Ceramic terminal	3	Pcs

Mobile-1:00447477838391 Mobile-2:00218917333191