

### Quotation of car license plate production line

#### 1, Description of goods

One set of car license plate production line as requirements:

2, Detail price of each equipment

Name	Picture	Total FOB Price (USD)
Car license plate punching line (decoiler+straightener+alumin um heating machine+laminating machine+punch press+recoiler)		41000
Word pressing machine		6500
Hot printing machine	F	<b>4500</b>
Т	otal	52000



Tel-01: +447477838391





DECOILER AND STRAIGHTENRE



Tel-01: +447477838391 Tel-02: +218917333191



HEATING MACHINE



LIMANATING MACHINE



Tel-01: +447477838391



### PUNCHING MACHINE



PUNCHING MOULDS





**PRODUCT** 

#### (1) High Accuracy Decoiler & Straightener



#### Feature:

- 1.Decoiler and straightener two in one style can save installation space, lower transition procedure.
- 2. The Decoiler and straightener are controlled separately by independent electricity boxes.
- 3. Straightener adopts the cardan joint and gear transmission.
- 4. The straightening gear adopts the dial indicator and is able to find out the leveling up point rapidly.
- 5. The additional back pressure wheel enables the straightening result much better.
- 6. The additional lubrication system prolonged the machine life span.

-0	Product Name	High Accuracy Decoiler &Straightener	The Widest Range	300mm
112	Material Thickness	0.2-1.5mm	Coil Stock Outer Diameter	1300mm
	Coil Stock Inner Diameter	450-530mm	The Maximum Weight of Coil Stock	1000kg
	Expansion Style	Automatic Hydraulic Pressing	Speed	0-15m/min
	Voltage	380V	Power	2.2KW



Tel-01: +447477838391 Tel-02: +218917333191

#### (2) Heating Machine

Product Name	Heating Machine	Temperature	0-200 Degree
Voltage	380V	Power	4KW

#### (3) Automatic Film Laminating Machine

Voltage	380V
Coil Stock Fixed Type	Pneumatic
	Coil Stock Fixed Type

#### (4) Servo Feeder



### Miz

#### 1. High-precision Feeding

Aiming at the arrival of hi-tech industry, it is controlled by computer closed-circuit feed back system, so that the precision can maintain within 0.03mm.

2. Phase-style Feeding Function

It can input 20 groups of different feeding length, each group provides punching for 999 times to satisfy the processing and production of special products (option).

3. Manual Model



It can input 3 phases manual speed, which can let users operate more easily and feed material more accurately.

4. High-efficiency Release Device

It can set up release angle quickly, only match cam signal of and adjusted feed thickness can be done.

5. Feeding Length Setting

Input feed length on the controller panel directly.

6. Feeding Unit

The roll adopts middle-hollow style. Being light and with low inertia for electroplate.

The surface hardness HRC60C and hard chrome plated.

Product Name	Servo Feeder	Model	300A
Stock Width	300mm	Stock Thickness	0.15-3.0mm
Material Feeding Length	9999.99mm	Speed	30m/min
Power of Main Motor	2KW		

Miza <u>Company</u>

شركة ميزة للإستيراد والتصدير Miza Company For Import & Export



### (5) Punching Machine



Miza

Tel-01: +447477838391 Tel-02: +218917333191

Product Name	Punching Machine	MODEL	JH21-60
Nominal Pressure on Sliding Block	600 KN	Nominal Pressure Stroke Sp	5 mm
Slide Stroke	160 mm	Stroke Frequency	Fixed 60s.p.m
			Variable 40-60s.p.m
Die Height	320 mm	Die Height Adjustment	80 mm
Slider Bottom Size	L.R 540 mm	Size of Handle Hole	50 mm
	F.B 460 mm		
Size of worktable	L.R 950 mm	Thickness of Worktable	140 mm
	F.B 600 mm		
Dimension	L.R 1765 mm	Anchor Bolts Distance	L.R 1210 mn
	F.B 1200 mm		F.B 920 mm
	H 2725 mm		
Main Power of Electric Motor	5.5 KW	Weight	5450 kg

#### (6) Damping Material Receiving Machine

Product Name	Damping Material Receiving  Machine	The Widest Range	300mm
Coil Stock Outer Diameter	1400mm	Coil Stock Inner Diameter	450mm-530mm
The Maximum Weight of Coil Stock	500kg	Expansion Style	Manual Operation
Speed	0-15m/min	Voltage/ Power	380V/ 2.2KW

Miza Company For Import & Export

(7) Word pressing machine



Tel-02: +218917333191 Tel-01: +447477838391



Main technical parameter:

Item	Data	Units
Nominal pressure	1000	KN
Maximum hydrautic working pressure	<30	mpa
Allow maximum size of working	580X300X50	mm
Periodic time	2-5	Second
Outside dimension	1300X600X1400	mm
Net weight	900	kg

Miza

#### Hot printing machine



- 1.Power:220V 50Hz
- 2. Consumption oF upper motor:90W
- 3. Consumption oF lower motor:60W
- 4.Heating Pipe:500W\*4
- 5.Stamping temperature:0-300°C
- 6. Width of stamping: less 300mm
- 7.Speed:4-5m/min
- 8.Weight:155kgs
- 9.Dimensions:940\*800\*900mm
- 10. Production Capacity: 3000pcs/day

Print finish immediately, no need wait to dry

شركة ميزة للإستيراد والتصدير Miza Company For Import & Export