

Miza company for Import and Export.

Email: miza_ly@outlook.com.

Tel-01: +447477838391

Tel-02: +218917333191

1.Product Name And Picture

SJ-A PE High speed Head Film Blowing Machine



Price: SJA50/600 : USD8000.00

Video : <http://youtu.be/BuzvkwuiB8I>

1. Port of departure: NINGBO CHINA
2. Port of destination: Any port in Libya
3. Packing: Export-standard and sea-worthy package.
4. Shipping Mark: to be determined at customers' option.
5. Terms of payment: 30% T/T Deposit, the balance before shipment
6. Delivery time: Within 10-30 working days after received the deposit
7. Quality Guarantee: 1 year, the seller guarantee the machines are 100% new. The above clause is ONLY effective under the machine is being properly used , any artificial misuse or destroy prepensely is not within the limit of Quality Guarantee.
8. Supplementary Condition: If the buyer need seller's engineer to go to his factory to help install and test the machine ,please be kindly bear their visa ,go and return tickets, lodging and eating ,salary (USD100/day).
9. validity of offer ,30day
10. description as next page

2.Main Technical Description

It is extruder, cylinder and screw rods are made of quality alloy steel that have been nitrized and processed in a precision way. Hence it is sound in hardness, durable in corrosion resistance. The specially-designed screw is of sound quality in plasticizing, which helps increase the production capacity. It is applied to blowing the plastic films like low density polytene (LDPE), high density polytene(HDPE) and linear low density polytene (LLDPE). It is widely applied to producing the packing bags for foodstuff, clothing, rubbish bag and vest ones. OPTIONAL EQUIPMENT:

- 1)AUTO LOAD 2)AIR COMPRESSOR 3)SPECIAL DIE
4)DIE ROTARY DEVICE5)BOUBLE SIDES WINDER 6) UP AND DOWN

| | |
|----------------------------------|--------------------|
| Model | A50 |
| Diameter of screw | φ50 |
| Reduced diameter of film(mm) | 100-600 |
| Single-sided Thickness of Film | 0.01-0.1mm |
| Max.Extrusion(Kg/h) | 50 |
| L/D | 30:1 |
| Power of main moto(kw) | 15 |
| Power of Tracion main moto(kw) | 1.1 |
| Die head | Φ60 , φ120 |
| Heating Power(kw) | 11 |
| Outline diameter(L x W x H) (mm) | 4800 x 1900 x 4100 |
| Weight(T) | 1.5T |

More Detail:

- 1.Barrel and screw material: 38 chrome-molybdenum aluminum , nitrogen treated
- 2.FIXED DIE HEAD DEVICE
- 3.Gear box: water cooling reducer, hard tooth surface
- 4.Single winder
- 5.counter of metric
- 6.Main motor : CHINESE BRAND , WITH CHINESE INVERTER

-
- 7.Heating ring : cast aluminum
 - 8.winder motor : torque motor
 - 9.Embossing roller
 - 10.Gusset device
 - 11.Power:3PASE 380V 50HZ

3.Clearly Picture





4. Optional equipments should extra cost

| | | | |
|---|--|-----------|----------------|
| 1 | CORONA TREATER (if you need print the film. You need to add this one) | USD700.00 | CHINA BRAND |
| 2 | UP AND DOWN DEVICE | USD 700 | |
| 3 | AUTO LOADER | USD700.00 | CHINA |
| 4 | AIR SHAFT -2PCS | USD400 | |
| 5 | with pneumatic cylinder on top tower and winder side. With pneumatic cylinder control the pressure roller and embossing roller | USD400 | |
| 6 | Mechanics-screen changer | USD1000 | |
| 7 | INVERTER IF USE DELTA BRAND | + USD500 | |

5. Spare Parts

| | | |
|----|-----------------------------------|------|
| 1 | Filter net | 3M |
| 2 | Lodestone | 1 pc |
| 3 | Blowing pipe | 2 pc |
| 4 | Thermocouple | 2 pc |
| 5 | Voltage meter | 1 pc |
| 6 | Screw heater (stainless steel) | 2 pc |
| 7 | Three through heater | 1 pc |
| 8 | Test pen | 1 pc |
| 9 | Screw driver | 1 pc |
| 10 | Inner hexagon wrench | 1 pc |
| 11 | Glove | 4 pc |
| 12 | Temperature meter | 1 pc |
| 13 | Current meter | 1 pc |
| 14 | AC contactor CJX1-22A/220V | 1 pc |
| 15 | Mandril | 1 pc |