

#### Final product:







Option 1: Automatic French Fries Production Line for 300kg/h



Machine	Picture	Parameter	Exw price
1.Elevator		Dimension: 2400*900*1600mm Power: 0.55KW/380V/50Hz Weight:180kg  *Raw potatoes into elevator with washing machine for cleaning. *Schneider Electric brand used, Mitsubishi inverter, *adjustab motor. *304 Stainless Steel 2mm	*Japan's



2.Washing		Dimension:2800*850*1400mm	6700USD
peeling machine		Power: 4.37KW/380V/50Hz Weight:630mm	10000
		*Potatoes through the screw propellers automatic discharge, peeling time can be adjusted. *There are 9 rollers inside. *Used frame 50 * 50 * 3mm;	
		*High quality 304 stainless steel tube and stainless steel; *2mm stainless steel 316 bearing; *6mm lateral plate; *Schneider Electric brands	
		*The circulating filtration tank at the bottom can effectively save water	
3.Picking line		Dimension:2500*900*800mm Power: 0.75KW/380V/50Hz Weight:280kg	2000USD
		*Potatoes finished off the skin after entering this device and then manually pick what to see there is no bad or substandard potatoes, or do not wash	
		the skin, do some processing. *PVC high quality food grade conveyor belt,Safe and hygienic, in line with food requirements	
	<b>8</b>	*High quality 2mm 304 stainless steel *Motor is adjustable speed *The bearing block is FL206 stainless steel	
		*The bottom corner is made of 304 stainless steel *Height is adjustable	
4.Potato cutting machine		Capacity:600kg/h Power:1.1kw Voltage:220V/380V Dimension:950*900*1000mm Cutting Size:3-10mm	1750USD
		Weight:110kg  *Qualified potatoes are automatically entered into cutting machine after the selection line, and can continuously completes the cutting work	
		*Schneider motor  *Blades:High speed stainless tool steel  *Plate:High quality aluminum magnesium alloy material  * Other part 2mm 305 Stainless steel	
	6		
5.Elevator		Dimension:2200*900*1600mm Power: 0.75KW/380V/50Hz Weight:330kg	2000USD
		*The mesh belt is 304 stainless steel *Mesh diameter 3mm *Used frame 50 * 50 * 3mm; *High quality 304 stainless steel tube and stainless steel; *2mm stainless steel 316 bearing; *Motor is adjustable speed	
	8		
6.Impurity Removing Machine		Dimension:2000*800*1300mm Power:2.2KW/380V/50Hz Weight:500kg	5600USD
		*By setting the distance gap between the roller and the roller, the potato strip will move forward under the action of roller, the leftover materials and unqualified potato chips will leak out between the rollers *Brush is high quality nylon, meet food	
		requirements	



7.Rinsing	Dimension: 3000x1000x1300mm	5800USD
machine	Power: 5.25KW/380V/50Hz Weight:800kg  *Qualified potato strip from above machine-wash the potato chips by turning them over with air bubbles, will remove the surface starch, equipped with clean water secondary spray cleaning function  *Motor is adjustable speed *2.5mm 304 stainless steel *belt mesh is 3mm *wdth of belt is 600mm	
8.Blanching machine	Dimension:4000x1000x1300mm Power:100kw Weight:1400kg 'inhibiting enzyme activity in potato,keep the original fresh color,Improved cell softness,Conducive to water evaporation 'Temperature is adjustable '304 high quality stainless steel 'stainless steel 304 bearing '600mm width belt, 3mm mesh 'Belt motor is adjustable speed 'The insulation layer thickness is 50mm 'Electrical components are schneider brand	10530USD-Electric 11900USD-Gas
9.Vibration De-watering Machine	Dimension: 1800*1230*1020mm Power: 0.5KW/380V/50Hz Weight:230kg *Under the high frequency vibration of the vibrating motor, the moisture on the surface of the potato strip is fully removed, and the material moves forward into the air cooling machine under the vibration state *3mm 304 SS *High quality 304 stainless steel square pipe *Breadth is adjustable	2900USD
10.Air cooling machine	Dimension:3500x900x1600mm Powe:7.1KW/380V/50Hz Weight:700kg *304SS *Siemens adjustable-speed motor *The belt form is 4 turn form *Width of belt:500mm *8 fans,height of fan is adjustable * Water collection plate at bottom	5950USD
11.Elevator	Dimension: 2000x700x1300mm Power: 0.55KW/380V/50Hz Weight:180kg *adjustable speed motor. *304 Stainless Steel 2mm *The bearing is stainless steel 316 *motor speed is adjustable	2250USD




Tel-01: +447477838391 Tel-02: +218917333191

12.Frying machine	Dimension: 4000x1100x2200mm Power: 120kw/380V/50Hz Weight:1200kg	12000USD-Electric 15600USD-Gas
	*oil water separation *water circulation cooling system *with oil filter tank *3.5mm 304SS *width of belt:600mm *with automatic lifting device for the cover *Adopt double mesh belt to transport food, up and down mesh belt can be variable frequency speed regulation *Heating temperature 0-300 degree is adjustable *Electrical components are international famous brand schneider brand *Electrical components are international famous brand schneider brand	
13.Vibration De-oiling Machine	Dimension: 1800*1230*1020mm Power: 0.5KW/380V/50Hz Weight: 230kg *Under the high frequency vibration of the vibrating motor, the oil on the surface of the potato strip is fully removed, and the material moves forward into the air cooling machine under the vibration state *3mm 304 SS *80*80*3mm frame square pipe *High quality 304 stainless steel square pipe *Breadth is adjustable	2800USD
14.Air cooling machine	Dimension:3500x900x1600mm Power:7.1KW/380V/50Hz Weight:700kg *304SS *Siemens adjustable-speed motor *The belt form is 4 turn form *Width of belt:600mm *8 fans,height of fan is adjustable * Water collection plate at bottom	5900USD
15.Elevator	Dimension: 3000x900x2100mm Power: 0.75KW/380V/50Hz  *adjustable speed motor. *304 Stainless Steel 2mm *The bearing is stainless steel 316 *motor speed is adjustable	3000USD

Total Exw Price for French Fries Production line: 71480USD(Electric heating for blanching and frying machine)
Total Exw Price for French Fries Production line: 76450USD(Gas heating for blanching and frying machine)



Tel-01: +447477838391 Tel-02: +218917333191



#### Option 2: Semi-automatic french fries production line for 150-200kg/h





1.Washing and Peeling Machine	Size:1400*850*800mm Power:1.5kw/380v/50Hz Capacity:600kg/h	1970USD
2.Potato cutting machine	Capacity:600kg/h Power:1.1kw Voltage:220V/380v Dimension:950*900*1000mm Cutting Size:3-10mm Weight:110kg	1750USD
3. Elevator	Dimension: 1500*800*1300mm Power: 0.75KW/380V/50Hz	2300USD
4.Blanching Machine	Size:1500*1400*1700mm Mixing Power:0.37kw Discharging Power:0.75kw Heating Power:36kw Gas consumption:12m*/h Size of frying pan:1000*400mm	4900USD-Electric 5870USD-Gas
5.Dewatering Machine	Size:1250*1250*1550mm Powers:1.5kw/380v/50Hz	2790USD



Tel-02: +218917333191 Tel-01: +447477838391

10.Freezing machine



Model:GG-1
Capacity:50kg/h
Dimensions:2350\*1400\*1900mm
Load Power:4kw
Feeding Temperature:15°C
Discharge Temperature: - 48°C
Inside circulating temperature: - 35±2°C
Freezing Time:40-60min
Refrigerating fluid:R22
Numbers Of Cart:1
Numbers Of Plates:15
Plates Size:850\*500\*40mm

16400USD

EXW Price of Whole Frozen French Fries Production Line:42100USD (Electric heating)
EXW Price of Whole Frozen French Fries Production Line:44040USD (Gas heating)

Option 3: Manual french fries production line for 50kg/h				
Name	Pictures	Dimension	EXW Price	
1.Washing and Peeling Machine		Size:665*500*830mm Power:0.75kw/380v/50Hz Capacity:240kg/h	500USD	
2.Potato strip cutter		Capacity:600kg/h Power:1.1kw Voltage:220V/380v Dimension:950*900*1000mm Cutting Size:3-10mm Weight:110kg	1750USD	
3.Blanching Machine		Size:1400*700*950 Power:24kw/380v/50Hz Weight:140kg Fying frame size:500*500*240mm	2000USD	



4. Dewatering Machine		Size:1000*500*700mm Powers:1.1kw/380v/50Hz	2080USD	
5.Frying Machine		Size:1400*700*950 Power:24kw/380v/50Hz Weight:140kg Fying frame size:500*500*240mm	2000USD	
6.Deoiling Machine		Size:1000*500*700mm Powers:1.1kw/380v/50Hz	2080USD	
	Total Exw Price for french fries pro	oduction line:10410USD		
7.Freezing machine		Model:GG-1 Capacity:50kg/h Dimensions:2350*1400*1900mm Load Power:4kw Feeding Temperature:-15°C Discharge Temperature:-18°C Inside circulating temperature: -35±2°C Freezing Time:40-60min Refrigerating fluid:R22 Numbers Of Cart:1 Numbers Of Plates:15 Plates Size:850*500*40mm	16400USD	
8.Vacuum packing machine		Model:GG400 Power:380v/220v/50Hz/0.8kw Vacuum room' s size:690°600°120 mm Sealing Length:400°400 mm Dimension:1200°650°800 mm Vacuum pressure Less thanz:1KPA Packing capacity:80-320 Pcs/min Weight:150kg	1500USD	
Total Exw Price for french fries production line: 28310USD				



Tel-02: +218917333191 Tel-01: +447477838391

#### Other type packing machine

1.	10 Weighing Heads	2000	Use the digital sensors to enhance speed, precision and anti-jamming capatibility; Frame with IP65 protection; Statistical Data-inspect on screen and via optional printer output; Optional language of operation. English Japanese, Chines, Italian , Ger man, Spanish, Russian etc.  Range of single weighing:10-1000g Maximum weighing quality:3000g Range of weighing precision:0.3-3.0g Maximum weighing speed:60 bags /minute DISPLAYER 7 / 10.4 inches touch screen Hopper capacity:1600ml Hopper type:Bi-row hopper without memory Driving:Step motor Preset number for product 99 kinds Size:1150*950*1129mm	12500USD
2.	Weighing filling sealing		Model:GG50D Packing speed:More than 300 Bags/H Packing range:1-5kg Sealing mode:Heat sealing Net weight:150Kg Dimension:1190*900*1800mm	5900USD
3.	Bag sealing machine		Voltage:220v,50hz,1 phase Power:50w Heating Power:300w*2 Sealing Speed:0-12m/min Sealing Width:12mm Temperature Range:0-300°C Size of Transfer Belts:840*153mm Machine:840*380*320mm	690USD