


### PPR pipe production line

(Pipe Diameter: 20-63mm)

#### **Configuration and Quotation**




شركة ميزة للإستيراد والتصدير **Miza Company For Import & Export** 




1.1. Raw material & Final product: Raw material & formulation	PPR resin, All the material should be mixed completely.		
Final product & Output capacity	Max:200kg/h		
1.2 Work condition (Provided by customer) Warehouse/Workshop	Dimension: 38m (length) × 2.39m (width) × 2.5m (height) Crane: Machine positioning		
Temperature/ Humidity	0-35°C/≤95%		
Power supply & Installation power	3-phase, 380V, 50 Hz		
Wire/cables:	Wires/cables from power supply to control cabinet of this production line; all electrical cables from control cabinet to each machine.		
Cooling Water hose/pipe	Water supply to machines and pools		
Lubrication oil:	Exxon mobile		
Compressor	Supply compressed air		
1.3 Energy consumption	27542 Table 1		
Cooling Water	≤20°C, ≥0.3Mpa, 15 M3/hr		
Compressed air	0.3m3/min, 0.4~0.8 Mpa		
Manpower	1 Person		
1.4 Main commercial terms Project	PPR pipe production line (20-63mm)		
Price			
Payment term	30% as down payment by T/T; 70% by T/T before delivery and after inspection;		
Delivery time	45-60 days since the date of receiving down payment		
Packing	Wood pallet covered by plastic film, 1*40GP Container		
Warranty period	12 months since date of bill of lading		

Miza Company For Import & Export



#### 1. Project evaluation


Flow line and configuration for PPR (20-63mm) pipe production line



**Equipment component and quotation** 

Item	name	specification	quantity	price (USD)
1	Automatic feeding machine	ZJ200	1 set	500
2	Hopper dryer	STG-U160	1 set	650
3	Single screw extruder	SJ65/33	1 set	12,500
4	Co-extruder	SJ25/25	1set	2,500
5	Mould	20-63mm	1 set	4,500
	Calibration sleeve			
6	Vacuum calibration tank	ZK-63	1 set	4,900
7	Water cooling tank	PL-63	1 set	4,100
8	Two-claw Hauling machine	QY-63	1set	2,900
9	Cutter	WQG-63	1 set	2,500
10	Stacker	DF-63	1 set	500
11	Total FOB Shanghai price:			35,950USD

Main technical parameter







## Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel-01: +447477838391 Tel-02: +218917333191



SJ65/33 Single

Screw Extruder

3

Screw diameter: 65mm

L/D: 33:1

Motor Power: 37kw AC Motor Screw: high speed single screw

Length/Diameter: 65/33

Screw Material:38CrMoAlA Nitriding Treatment

HardnessHV740~940, Nitriding layer thickness: 0.5-0.7mm

Heating Power: 12kw

Heating Device: Cast Aluminum heating device with metal cover avoiding hot

and quenching

wounded.

Cooling motor: 0.12kw\*5zones

Speed Reducer:vertical hard gears reducer,

Gearmaterial:20CrMnTiCarburized

Gear box brand: Changzhou brand
Center height: 1000mm

Capacity:100~200kg/h

Electrical Part:Motor brand:SIEMENS brand

Inverter: ABB brand

Temperature controller: Japan OMRON brand

Contactors: SCHNEIDER brand



## Miza company for Import and Export. Email: miza\_ly@outlook.com.

Tel-01: +447477838391 Tel-02: +218917333191





## ■ Miza company for Import and Export.

Email: miza\_ly@outlook.com.

Tel-01: +447477838391 Tel-02: +218917333191

Screw diameter: 25mm

L/D: 25:1 For color line Motor Power: 1.5kw Length/Diameter: 25/25

Screw Material:38CrMoAlA Nitriding Treatment

Heating Power: 3kw

Heating Device: Cast Aluminum heating device with metal cover avoiding hot

wounded.

Cooling system: 1/2 HP fan cooling Gear box brand: Jiangyin brand

Inverter:ABB Capacity:3~6kg/h



ZK-63 Vacuum calibration

6

Water pump:3kw\*1pcs, Vacuum pump 3KW\*1 Length: 6000mm

Cooling method: water cooling Position adjuster motor:0.75kw

Material of tank:stainless steel304, 4mm thickness

Diameter of molding: 20mm-63mm

Control Panel purchase Schneider products

Up&down adjusting distance:±50mm

Left&right adjusting distance:±40mm

Forward&backadjustingdistance:900mm

Spraying pipe quantity: 4pcs Disension:6000X750X1240mm



# Miza company for Import and Export. Email: miza\_ly@outlook.com. Tel-02: +218917333191

Tel-01: +447477838391





## **■ Miza company for Import and Export.**

Email: miza ly@outlook.com.

Tel-01: +447477838391 Tel-02: +218917333191

> Hauling caterpillar: 2pcs Belts material: rubber block

Motor power: 1.5KW Air tighten device

Height adjusting: ±50mm Center height: 1000mm Effective length: 1200mm

Dismension: 1980X1400X1460mm

Weight: 1500 KG



No-Dust Cutter 9 machine

Miza (

Up-down adjustment ±50mm

Modern Import & Export Center height Moving length

500mm

Motor power 1.5kw Working speed 0.3-4m/min Clamp pipe pneumatic

Claw size: 100mm Voltage 380V 50HZ

3340x1350x1850mm Dimension

Weight

Thickness of pipe

15-30mm



## **■ Miza company for Import and Export.**

Email: miza ly@outlook.com.

Tel-01: +447477838391 Tel-02: +218917333191

> Hauling caterpillar: 2pcs Belts material: rubber block

Motor power: 1.5KW Air tighten device

Height adjusting: ±50mm Center height: 1000mm Effective length: 1200mm

Dismension: 1980X1400X1460mm

Weight: 1500 KG



No-Dust Cutter 9 machine

Miza (

Up-down adjustment ±50mm

Modern Import & Export Center height Moving length

500mm

Motor power 1.5kw Working speed 0.3-4m/min Clamp pipe pneumatic

Claw size: 100mm Voltage 380V 50HZ

3340x1350x1850mm Dimension

Weight

Thickness of pipe

15-30mm





10 FL-63 stacker

Range 20-63mm

Working way: Pneumatic

ength 6n

Up-down adjustment ±50mm

Dimension 6000X763X980mm

Weight 120kg

#### 3. After-sales service

#### **Technical documents**

All labels on machines and lay-out drawings, Electrical diagram, User Manual, will be in English. The factory should send all necessary files to the buyer since the third week since project execution. All documents in hard copies should be also shipped with machines together.


#### Arrangement for inspection, installation and testing work

After all machines are delivered to customer's factory; Buyer is responsible for all preparation work, e.g. electricity supply, water supply, labors and cranes, etc.

- The factory will prepare for visa application for their engineers, who are responsible for guide of machine installation and testing at the Buyer's factory.
  - c. The Buyer will buy the round-trip air ticket for Engineer if visa application is approved. The buyer is also responsible to bear expenses generated, e.g. visa formalities, meals, accommodation and allowance of USD100 per day for each engineer.
  - d. Engineer will give free training lessons to labors in buyer's factory.

#### Quantity and quality guarantee

a. Quantity/Quality Discrepancy to destination port during transportation: In case of quality/quantity discrepancy to destination port in transportation, customer should file claim within 30 days after the arrival of the goods at port of destination. LIANSHUN will be responsible for any discrepancy of the goods Caused by shipping company and other transportation organization and/or post office.



b. Guarantee period and after-sales services:
 12 months since date of bill of lading
 During this guarantee period, the manufacturer will provide spare parts without anycharge in case of quality discrepancy caused by us. If the malfunctions are caused by your incorrect operations, the manufacturer will provide the buyer spareparts at cost price.

c. Long-term service:

The manufacturer will charge the buyer cost price of spare parts beyond one year and provide long-termtechnical guide.



شبركة ميزة للإستيراد والتصدير Miza Company For Import & Export