



# Miza company for Import and Export.

Email: miza\_ly@outlook.com.

Tel-01: +447477838391

Tel-02: +218917333191

Kiddie Rides Quotation			
Product name	Picture	Description	Price
YT-KC001		Voltage: AC 220V-380V Power:2KW Size:3.6m×1.6m Seat:8P, Weight : 400KG	US\$7,990
YT-KC002		Voltage: AC 220V-380V Power:2KW Size:3.6m×1.6m Seat:8p Weight : 400KG	US\$7,990
YT-KC003		Capacity: 16P, Power: 1.5KW, 380V. Speed: 4~6rpm. Cover area: 6m diameters. Height: 2.8mH,Weight: 2.5T.	US\$8,800
YT-KC004		Capacity: 2P, Power: 120wx2pcs. Weight:160kgs, Loading weight:310kgs Speed: 6km/h.	US\$1,880
YT-KC005		Capacity: 2P, Power: 120wx2pcs. Weight:160kgs, Loading weight:310kgs Speed: 6km/h.	US\$2,400
YT-KC006		Capacity: 2P, Power: 200W,24V. Size: 1.2m*0.9m*0.9m. Weight: 80kgs.	US\$1,480
YT-KC007		Capacity: 1P, Size: 1.5mx1.1mx1.6m. Material: Plastic,Steel,LED lights. Power: 150Wx2pcs. Weight: 200kgs. Obstruction warning.	US\$2,400








## Miza company for Import and Export.

Email: miza\_ly@outlook.com.

Tel-01: +447477838391

Tel-02: +218917333191

YT-KC008		Capacity: 1P, Weight: 65kgs Power: 250W,12V 20AH*2pcs. Loading weight: 160kgs. Size: 1.3mX0.65mX0.78m Speed: 4km/H. Battery life: 5~6H.	US\$1,200
YT-KC009		Capacity: 12P, Cabins: 6pcs Area Needed: 6m dia Power: 1.8KW 220V	US\$7,990
YT-KC010		Voltage: AC 220V-380V Power:1.5KW Size:3mX2.8m Seat:6P Weight : 800KG	US\$7,600
YT-KC011		Voltage: AC 220V-380V Power:1.2KW Size:2.6mX2.8m Seat:6P Weight:600KG	US\$4,900
YT-KC012		Voltage: AC 220V-380V Power:350W Size: 1.35mX2m Seat:3P Weight:200KG	US\$2,400
YT-KC013		Voltage: AC 220V-380V Power:350W, Size:1.35X2m Seat:3P, Weight:200KG	US\$2,400
YT-KC014		Voltage: AC 220V-380V Power:350W Size:1.35X2m Seat:3p Weight:200KG	US\$2,400



## Miza company for Import and Export.

Email: [miza\\_ly@outlook.com](mailto:miza_ly@outlook.com).

Tel-01: +447477838391

Tel-02: +218917333191

YT-KC015		Voltage: AC 220V-380V Power:350W Size:1.35m×2m Seat:3p Weight:200KG	US\$2,900
YT-KC016		Voltage: AC 220V-380V Power:350W Size:1.35m×2m Seat:3p Weight:200KG	US\$2,400
YT-KC017		Voltage: AC 220V-380V Power:350W Size:1.35m×2m Seat:3p Weight:200KG	US\$2,400
YT-KC018		Voltage: AC 220V-380V Power:1.5W Size:5.5m×2.5m Seat:8P Weight:900KG	US\$6,800
YT-KC019		Voltage: AC 220V-380V Power:1.5W Size:5.5m×2.5m Seat:8P Weight:900KG	US\$6,800
YT-KC020		Voltage: AC 220V-380V Power:1.5W Size:5.5m×2.5m Seat:8P Weight:900KG	US\$6,700
YT-KC021		Voltage: AC 220V-380V Power:1.5W Size:6m×2.5m Seat:8p, Weight:900KG	US\$6,990



## Miza company for Import and Export.

Email: miza\_ly@outlook.com.

Tel-01: +447477838391

Tel-02: +218917333191

YT-KC022		Dimensions:Φ3.1m×2m Seat:6P Power:350W Voltage:/220V(AC)/12V (DC)	US\$2,350
YT-KC023		Dimensions:Φ3.1m×2m Seat:6P Power:350W Voltage:/220V (AC) /12V (DC)	US\$2,350
YT-KC024		Dimensions:Φ3.1m×2m Seat:6p Power:350W Voltage:/220V (AC) /12V (DC)	US\$2,350
YT-KC025		Dimensions:Φ3.1m×2m Seat:6p Power:350W Voltage:/220V (AC) /12V (DC)	US\$2,350
YT-KC026		Dimensions:Φ3.1m×2m Seat:6p Power:350W Voltage:/220V (AC) /12V (DC)	US\$2,350
YT-KC027		Dimensions:Φ3.1m×2m Seat:6p Power:350W Voltage:/220V (AC) /12V (DC)	US\$2,350
YT-KC028		Dimensions:Φ2.4m×2.1m Seat:4p Power:700W Voltage:220V (AC) /24V (DC)	US\$2,350





## Miza company for Import and Export.

Email: miza\_ly@outlook.com.

Tel-01: +447477838391

Tel-02: +218917333191

YT-KC029		Dimensions: $\Phi$ 2.4m $\times$ 2.1m Seat: 4p Power: 700W Voltage: 220V (AC) / 24V (DC)	US\$2,500
YT-KC030		Dimensions: $\Phi$ 3.0m $\times$ 2.4m Seat: 12P Power: 350W Voltage: 220V (AC) / 12V (DC)	US\$1,800
YT-KC031		Length: 3.2m, Width: 0.9 m Height: 1.85m, Capacity: 1P Power: 0.75 kW, 220 V Occupied area: 4 * 5 m	US\$1,600
YT-KC032		Length: 3.2m, Width: 0.9 m Height: 1.85m, Capacity: 1P Power: 0.75 kW, 220 V Occupied area: 4 * 5 m	US\$1,600
YT-KC033		Capacity: 1P, Power: 0.75KW/220V Max lift height: 1.8m Weight: 300kgs, Area Needed: 25m	US\$2,900

### Feature:

- \*1. Fiber glass reinforced plastics all used Automobile paint baking process.
- \*2. Four layers of painting processing (primer, white painting, colorful painting, varnish)
- \*3. The maximum thickness of fiber glass reinforced plastics are six layers, to ensure the safety and life length of the equipment.
- \*4. There is MP3 function in the control cabinet supporting U disk and SD card player. It is equipped with remote control unit which makes the operation is more convenient.
- \*5. The body of the device is provided with a plurality of LED lamps.