

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميرة ليبيا - طرابلس - رقع الماتهد_01، 091733319 - رقع الماتهد_02، 0913103162 - رقع الماتهد_03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مهابل مصرف الجمسورية - طرابلس (ليبيا)

Chain speed	13-14m/min
Chain length/Size	580m
Quantity of hand molds	5800pcs
Product qualification rate	99%
Possible products for the production line	Nitrile gloves/latex gloves
Heating method	Natural gas
Production line type/mode	single mold
Natural gas	About 80 m³ / h
Water	About 4 m³ / h
Electricity	About 90 kw/h
Nitrile latex	About 1.8 tons/day

Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتيند_01، 091733319 - رقو الماتيند_02، 0913103162 - رقو الماتيند_03، 0923103162 Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مجاول مصرف الجمعورية – طراولس (ليبيا)

DUTY	Number of People
Vulcanization	2
Operators	4
Mechanicals	Miza Company
Technician	

The characteristics of nitrile/latex glove machine:

- 1. Adopt the advanced secondary impregnation technology.
- 2. Can produce thin products with different weight, also can produce thick products for household.
- 3. PU coating technology and chlorine treatment technology can be used.
- 4. According to the lengths of the chains, 1-3 main engines can be used for operating.
- $5\sqrt{A}$ Advanced chain and track structure ensures the stable operation under a high speed.
- 6. Vertical hot air circulation is used in the drying oven. Compared with other forms of hot air circulation, energy consumption can be saved

by nearly 20%.

Company For Import & Export



Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191


هكتب خركة ميزة ليبيا - طرابلس - رقو الماتهم_01: 0913103162 - رقو الماتهم_02: 0913103162 - رقو الماتهم_03: 0923103162 - وقو الماتهم_03: 0923103162 - 0923103162 - 0923103162 - 0923103162 - 0923103162 - 0923100 - 092310

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان، هارع المميرة المُهري / مقابل مسرف الجمعورية - طراياس (ليويا)

Processing workshop



شركة ميزة للإستيراد والتصدير Miza Company For Import & Export



Email: miza_ly@outlook.com.
Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب، هركة ميزة ليبيا - طرابلس - رقو الماتض_01، 091733319 - رقو الماتض_02، 0913103162 - رقو الماتض_03، 0923103162 م

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المسيدة الشيري / مهايل مسرف الهمعورية - طرابلس (ليويا)






Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

+ 101.2. ±0013303133 - 101.3. ±21091/33313 مكتبه هرئة ميرة ليبيا - طرابلس - رقه الماتهنے10، 9923103162 - رقه الماتهنے20، 9913103162 - رقه الماتهنے20، 99

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان، هارع المميرة الشيري / مقابل مسرف الجمعورية - طرابلس (ليبوا)



شركة ميزة للإستيراد والتصدير Miza Company For Import & Export



Email: miza_ly@outlook.com.
Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميرة ليبيا - طرابلس - رقع الماتهنم_01، 091733319 - رقع الماتهنم_02، 0913103162 - رقع الماتهنم_03، 0923103162

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المميرة المُوري / مقابل مسرف الهمورية - طرابلس (ليوبا)

Project Reference



Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميزة ليبيا - طرابلس - رقع الماتهم 10: 091733319 - رقع الماتهم 20: 0913103162 - رقع الماتهم 20: 0923103162


Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: خارع المسيرة الكبرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)





شركه ميره للإستيراد والتصدي

Miza Company For Import & Export



Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهنم_01، 091733319 - رقو الماتهنم_02، 0913103162 - رقو الماتهنم_03، 0923103162

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: خارع المسيرة الكيرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)



Miza Company For Import & Export

Email: miza_ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميرة ليبيا - طرابلس - رقم الماتهنم 01، 9923103162 - رقم الماتهنم 20، 9913103162 - رقم الماتهنم 20، 1923103162

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان، هارغ المسورة الشهروي/ مقابل مسروت الجمعورية - طراياس (ليوبا)





شركة ميزة للإستيراد والتصدير Miza Company For Import & Export

Miza company for Import and Export.

Email: miza_ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميزة ليبيا - طرابلس - رقو الماتهن 10، 0913103162 - رقو الماتهن 0913103162 - رقو الماتهن 0923103162 - رقو الماتهن 092310 - رقو الماته 09

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المميرة الشيري / مقابل مسروت اليممورية - طرابلس (ليبيا)








Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميرة ليبيا - طرابلس - رقع الماتهن_00 9923103162 - رقع الماتهن_02 9913103162 - رقع الماتهن_03 9923103162 - رقع الماتهن_03 9923103162 - رقع الماتهن_05 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100 9923103162 - (100

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طراولس (ليبيا)



Miza company for Import and Export.

Email: miza_ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميرة ليبيا - طرابلس - رقع الماتهنم_01، 091733319 - رقع الماتهنم_02، 0913103162 - رقع الماتهنم_03، 0923103162

Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المسيدة الشيري / مهايل مسرف الهمعورية - طرابلس (ليويا)

Name			Quantity	Function
Material Pre-mix		5T Vulcanization Tank	1	Pre-vulcanize the chemicals
	THE SU	2T Polymer Tank	ly .	Stirring Polymer
		2T Coagulator Mixing Tank	1	Mixing Coagulator
		5T Storage Tank		Store the mixed chemicals

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهن 10؛ 091733319 - رقو الماتهن 0923103162 - رقو الماتهن 03 و 0923103162 - رقو الماتهن 03 و 0923103162 - رقو الماتهن 103 و 103

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)

		Sand Mill	1	Grind chemicals to make it more delicate
		Diaphragm Pump, Conveyer Pipe	4	Transport raw materials to the material tank
		Filter (Composition	80#mesh	Filtering impurities
Other Equipment	00001	10HP Water Chiller		Reduce the temperature of material trough and coagulant tank
		(A M. A. M. M.)		35

Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191 مكتب خركة ميزة ليبيا - طرابلس - رقو الماتوني 01، 091733319 - رقو الماتوني 02، 0913103162 - رقو الماتوني 03، 0923103162

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكيرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)

Oil Boiler	1	Provide heat for oven, for drying gloves
Boiler Room Installation Tools	1	
22KW Air Compressor	1	Create compressed air for demolding
Air Storage Tank	W.	Store the air produced by the air compressor
Latex Surgical/Exam Glove Dipping Machine	1	Produce nitrile/latex gloves

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهن 10؛ 091733319 - رقو الماتهن 0923103162 - رقو الماتهن 03 و 0923103162 - رقو الماتهن 03 و 0923103162 - رقو الماتهن 103 و 103

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طراولس (ليبيا)

	Rock wool insulation board	On demand	Oven heat preservation Thickness: 100mm
THE STATE OF	Acid Tank LZA Company	1 Uy	PP plate made. Soak the hand mold and wash off the residues
	Alkaline Tank	1	PP plate made. Soak the hand mold one more time to furtherly wash off the residues
COS	Hot Water Tank	3	304 stainless steel plate. Use hot water to scald the mold

Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191 مكتب خركة مهزة ليبيا - طرابلس - رقو الماتوني 01، 091733319 - رقو الماتوني 02، 0913103162 - رقو الماتوني 03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مهايل مصرف الجممورية - طرابلس (ليبيا)

Leaching Tank	2	304 stainless steel plate. Soak hand mold after drying, soak protein off of the gloves, etc.
Material Tank	1	304 stainless steel plate. Place the latex material
Coagulant Tank	any .	304 stainless steel plate. Place the coagulant
Edge curling device	1	Edge curling gloves

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهن 10: 091733319 - رقو الماتهن 20: 0913103162 - رقو الماتهن 03: 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طراولس (ليبيا)

	Disc brush	1	Scrub the whole hand mold
The state of the s	tza Compan	ıy	Scrub the palm and between the fingers of the hand molds
THE CHARLES	Pre-demold	2	Demold gloves to wrist part before stripping

شركة ميزة للإستيراد والتصدير **Miza Company For Import & Export**



Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتوني 01، 091733319 - رقو الماتوني 02، 0913103162 - رقو الماتوني 03، 0923103162 Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مجاول مصرف الجمعورية – طراولس (ليبيا)

	Auto Stripper	2	Automatically detach gloves from hand molds
	Automatic Counting Machine	1	Automatic counting output
* 1	Pottery Gloves Molds	5800	The hand molds for the gloves.

Email: miza ly@outlook.com.

- Tel.2: +861538333135 - Tel.3: +218917333191 Tel.1:+447477838391


مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهن_01، 9923103162 - رقو الماتهن_02، 9913103162 - رقو الماتهن_03، 9923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: شارع المسيرة الكبري/ مجاول مصرف الجمعورية - طراولس (ليويا)



شركة ميزة للإستيراد والتصدير Miza Company For Import & Export



Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: خارع المسيرة الكبري/ مجابل مصرف الجممورية – طرابلس (ليبيا)



Miza Company For Import & Export

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

هكتيم خركة ميزة ليبيا - طرابلس - رقو الماتهنم_01، 091733319 - رقو الماتهنم_02، 0913103162 - رقو الماتهنم_03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)

ort		purified water. If conditions permitted, the gloves will be of a better quality when the whole production line uses purified water.
Aging Chamber (optional)	1	Used to make gloves over aging (for testing).
Electronic Scale	5	Weighing
Thickness Meter	1	Measure the thickness of gloves

شركة ميزة للإستيراد والتصدير **Miza Company For Import & Export**




Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191 مكتب هركة ميزة ليبيا - طرابلس - رقم الماتهنم. O913103162 - رقم الماتهنم. O923103162 - رقم الماتهنم. O923103162

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مجابل مصرف الجممورية – طرابلس (ليبيا)





Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهنم 01: 091733319 - رقو الماتهنم 02: 0913103162 - رقو الماتهنم 03: 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طراولس (ليبيا)

	Alcohol Thermometer	10	Test the temperature of the prepared material
	Hydrometer	10	Test the specific proportion of formulated raw materials
TO THE	Infrared Radiation Thermometer	2	Test oven temperature of glove production line
Total cost excluding shipping fee (Fully Auto	ematic)	890,0	000 USD

شبركة ميزة للإستيراد والتصدير **Miza Company For Import & Export**



Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191


مكتب خركة ميرة ليبيا – طرابلس – روم الماتهم 10: 0923103162 – روم الماتهم 0923103162 – روم الماتهم 03: 0923103162 مكتب خركة ميرة ليبيا – طرابلس – روم الماتهم 103، 0923103162 – روم الماتهم 103، 0923103162 Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مجاول مصرف الجمعورية – طراولس (ليبيا)

- 1. DELIVERY TIME: Two shipments within 3 months after receiving the deposit.
- 2 DELIVERY PLAN-
 - 1) The first shipment (Machine Frames, Tanks, Electrical Appliances, Thermal Insulation, Auxiliary Equipment etc.) will send to buyer around 45 days after the seller party receives the deposit.
 - 2) The second shipment (Glove Molds, Chains, Mold Holders etc.) will send to buyer around 45 days after first shipment send out.
- 4. CONTAINER: Shipped by FCL, about 10*40'HQ.
- 5. INSTALL SERVICE:

Seller party will send 1 engineer to buyer's factory after the buyer part receives the first shipment, to guide and help them install the gloves machine. Meanwhile, buyer need offer 8~10 experienced workers for machine installation. After finishing the installation, seller party will send 1 chemical engineer to buyer's factory to teach the workers how to produce gloves.

The seller party will provide 2 months of free installation and commissioning services. If it exceeds 2 months, the buyer party will pay 120USD/day for each engineer. All related expenses (Includes flight tickets, accommodations etc.) during engineers' business trip will be provided



Email: miza_ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

0923103162 - رقم الماتهن_0. وقم الماتهن_10، 091733319 - رقم الماتهن_02، 0913103162 - رقم الماتهن_03، 0923103162 Address، Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسورة الكيري/ مقابل مصرف الجمعورية - طرابلس (ليريا)

6. GUARANTEE & SERVICE

- 1) The seller party has to ensure the correct installation, operation and maintenance of the equipment.
- 2) Three years warranty, except for wearing parts.
- 3) The seller party will offer long-term after-sales service.

Miza <u>Comp</u>any

شركة ميزة للإستيراد والتصدير Miza Company For Import & Export



Miza company for Import and Export.

Email: miza_ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو العاتون_01، 091733319 - رقو العاتون_02، 0913103162 - رقو العاتون_03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المميرة الشيري / مقابل مسروم الهممورية - طرابلس (ليبيا)

 $Notice: All\ parameters\ provided\ below\ are\ for\ reference\ only.\ Actual\ field\ installation\ Should\ be\ subject\ to\ specification\ and\ subject\ to\ specification\ subject\ subject$

production line.

1.	Chain Model	Chains are the life of the production line. Every single process of the production line is driving by chains. Offerent production lines use different driving chains, ours uses 100mm pitch chain. The main purpose is to reduce the wear, noise and ensure the smooth operation. We also use gravity tensioning system to make sure the chain is tightened at all times.
2.	Frame Material a Technical Requirement	and s



Email: miza ly@outlook.com.

Tel.1:+447477838391

- Tel.2: +861538333135 - Tel.3: +218917333191

مكتب شركة ميرة ليبيا - طرابلس - رقو الماتخم_01، 091733319 - رقو الماتخم_02، 0913103162 - رقو الماتخم_03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكيري/ مهاول مصرف الجمعورية - طراولس (ليبيا)

The main structural frame uses high-carbon steel material, strong and durable. The main frame of the beam structure uses high-carbon steel type: 10*10 square tube.

The main and sub track also uses high-strength, wear-resistant high-carbon steel materials: 5# U-shaped steel, 12# C steel and etc. combined as the main transmission track of the production line.

Make sure to proceed protective process after finishing installing the main rack. Coating with anti-rust paint as a start, to prevent rust and corrosion; Then paint with a layer of smooth finish, one is to strengthen the protective effect, second is to remain a good looking. According to different processes, the temperature resistance of high temperature paint should be in 150-200 Crange. (Also depend on customer's request)



Main drive and Auxiliary

The main drive for various production lines is driven by 18.5KW motor and flanged helical gears and such. This type of motor follows 3C standard for it is not easy overheating and also for the effective and longtime running. The combination of flanged helical gear drives makes sure the main drive running steadily.

شركة ميزة للإستيراد والتصديل Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميزة ليبيا - طرابلس - رقو الماتهنم_01، 091733319 - رقو الماتهنم_02، 0913103162 - رقو الماتهنم_03، 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank – Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مهابل مسرف الجمعورية - طرابلس (ليبيا)

4

Coagulator Tank,
Material Tank
Specifications and
Technical Requirements

and Functions:

Auxiliary Driving Equipment: Includes mold brushing system; Coagulator circulation system; Sulfide mixture (Latex, Nitrile and etc.) stirring system; Starch circulation system; Heat transmission and distribution system; Angular rotation system and etc.

The structures of coagulator tank and material tank are formed with inner and outer two layers. Both of two layers use 3mm 304 stainless steel. This type of stainless steel has an even heat condensation and a good corrosion resistance. Heat condensation helps keep the temperature of the coagulator tank and latex tank. Coagulator Tank and Material Tank has circulating stirring system. Motor drive and stainless-steel vane circulating works together as material circulation system. This type of motor does not over heat easily and has a long operating time, and brings a steady circulation for coagulator tank and material tank. The stainless-steel vane circulation pump has a good corrosion resistance, and it is hard to wear, won't create any metal powder to contaminate coagulator and materials.



Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهن 10؛ 091733319 - رقو الماتهن 0923103162 - رقو الماتهن 03 و 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طرابلس (ليبيا)

	IIII	Most of the double layered tanks on the production line are using built-in heating coil. Through the use of coils to heat the water inside of the interlayer, and use water temperature to control the temperature of the fluid in the tank. This method can avoid the qualitative change brought by the direct heating.
5	Specification and Function of Mold Cleaning Units: 1 Acid Tanks, 1 Alkaline Tanks, 1	Mold cleaning unit includes acid bath, alkaline bath, disc brush cleansing mechanism and horizontal brush cleansing mechanism and also a hot water tank. All of these tanks are single layered, made of 3mm 304 stainless steel, can be directly heated.
	Hot Water Tanks	They are all customizable for specific crafting needs; As for the disc brush and horizonal brush, they are made of engineering plastic material and nylon.
	والتصديا	Each tank of this system has its own function. Acid bath is to clean the residue off of the molds; Alkaline bath is to neutralize the acids remained on the molds; then enter

Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتيند_01، 091733319 - رقو الماتيند_02، 0913103162 - رقو الماتيند_03، 0923103162

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: خارع المسيرة الكبري/ مجابل مصرف الجممورية – طرابلس (ليبيا)

cleansing mechanisms to make molds back to initial condition; In the end, molds will be soaked into hot water tanks to clean off the dust to achieve further cleanness. As for the heating method, our production line uses heating coil. By putting the coil at the bottom of the tank and using heat-dissipating method to heat the cleansing fluid, then to achieve the best constant temperature effect. 1): Leaching tanks are made of 3mm 304 stainless steel plates which have an even Structure and Function of heat condensation and a good corrosion resistance. Leaching Tanks 2:The leaching tanks are to help clean the protein off of the products, also to preheat. The starch tank is a single layered tank. It is made or annua 303 standards tank is to
 Based on different crafting processes, the primary role of the starch tank is to : The starch tank is a single layered tank. It is made of 3mm 304 stainless steel. Structure and Function of help attach isolation powder to the surface of the product to make finished products not stick to each other after stripping. **Miza Company For Import & Export**

Email: miza ly@outlook.com.

Tel.1:+447477838391

- Tel.2: +861538333135 - Tel.3: +218917333191

مكتب خركة ميزة ليبيا - طرابلس - رقو الماتهنم 01: 091733319 - رقو الماتهنم 02: 0913103162 - رقو الماتهنم 03: 0923103162

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبرى/ مجابل مصرف الجمعورية - طرابلس (ليبيا)

		③: Place the heating coil at the bottom of the starch tank to heat it directly.
8		1):
6	169	The curling system is made up of various components and mechanical working principles.
	Edge Curling, Flanging	2: And the flanging system, also called pre-demold system, is relatively simple. Its
	and Automatic Demolding System	function is to help the stripper machine to run. It is similar to crimping function, and
	The state of the s	the structure is circular brush shaft made of nylon.
The same of the sa		3:Throughout the whole production line, auto demold system has the most complex
		process. Based on different crafting process and different products, such as
		demolding clamp, plywood, roller, disc brush roller and compressed air, and different materials, the structure of demolding process is not quite the same as well. The main
	والتصدير	function for this system is to reduce labor use, increase working efficiency and boost the production.

Miza Company For Import & Export



Miza company for Import and Export.

Email: miza ly@outlook.com.

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

هُ مُعْتِيدِ هُرِكَةَ هُورَةَ لِيبِيا - طَرَابِلِس - رَفِّهِ العَاتِيْمِ ـ 00/ 0923103162 - رَفِّهِ العَاتِيْمِ ـ 0913103162 - رَفِّهُ العَاتِيْمِ ـ 0913103162 - رَفْهُ العَاتِيْمِ ـ 0913103162 - رَبْمُ العَاتِيْمِ ـ 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913103162 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0913104 - 0914 - 0

Address, Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مجابل مصرف الجممورية – طرابلس (ليبيا)

Auxiliary Equipment for

Chemical Process Auxiliary Equipment, mainly used for grinding, formulating, vulcanizing, producing and adding chemicals. Mainly includes diaphragm pump, ball **Chemical Process** mill, sand mill, vulcanizing stirring tank, storage tank, color mixing tank, feeding tank, coagulant stirring tank, polymer stirring tank, starch stirring tank. Different production line should choose different chemical process auxiliary equipment to operate. 2: Sand mill is for grinding chemical granules into fine powder. Sand mill comes withsteel balls, and use stirring method to grind chemicals. ③Vulcanization stirring tank, storage tank, polymer stirring tank, coagulant stirring tank, starch stirring tank and feeding tank mainly used to mix and adjust to produce the finished chemicals. Through well stirring to mix chemicals and to prevent sediment. Suitable processing method should be chose based on different processing Chemical auxiliary tanks mostly use two-layers constant temperature tank. Inner layer uses 3mm 304 stainless steel plate as the material, with even heat accumulation and corrosion prevention effect. Outer layer use 4mm high-carbon steel plate. High strength steel plate can enhance the structure of the tank body, and prevent it from deformation.

Miza Company For Import & Export

شبركة ميزة للإستيراد والتصدي

Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191


هكتب هركة هيزة ليبيا - طرابلس - رقو الماتض_00: 0913103162 - رقو الماتض_00: 0913103162 - رقو الماتض_00: 0923103162 م

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya)

العنوان: خارع المسيرة الكبري/ مهاول مصرف الجمعورية - طراولس (ليبيا)

	Will	(§): Stirring system uses cycloid pin reducer and transducer to control. Based on differentchemical process needs, the stirring speed needs to be changed as well. Agitating blades are helical blades made of 304 stainless steel.
10	Oven Insulation Board Specifications and Technical Parameters:	①: Drying Oven forms with several isolated ovens separated by insulation boards. Sizes of the small oven should decide according to different processing needs. The main function of the drying oven is to provide heat accumulation space and to dry the products. Operating temperature is also alternated from 80-110 °C, 110-130 °C, 130-150 °C, depend on different processing needs. ②: Drying Oven has a good insulation effect and high temperature resistance up to250-300 °C. The heat preservation cotton in the interlayer has a solid density. Isolation boards are well compacted to avoid heat leakage, and to reduce heat loss.
3	والتصدي	شركة معرة للاستدراد

Miza Company For Import & Export



Tel.1:+447477838391 - Tel.2: +861538333135 - Tel.3: +218917333191

مكتب هركة ميزة ليبيا - طرابلس - رقع الماتهن_01، 091733319 - رقع الماتهن_02، 0913103162 - رقع الماتهن_03، 0923103162 م

Address: Al-Masira Al-Kubra Street / Opposite Al-Jumhouria Bank - Tripoli (Libya) العنوان: هارع المميرة الشهري / مقابل مسرض اليممورية - طرابلس (ليبيا)

Drying Oven has a good insulation effect and high temperature resistance up to 250-300°C. The heat preservation cotton in the interlayer has a solid density. Isolation boards are well compacted to avoid heat leakage, and to reduce heat loss.

③:There are several doors over 4 sides of drying oven for maintenance and observation.

11.

Oven Heat Conducting Equipment and Dehumidification Exhaust System:

①: The main heat conduction device of drying oven uses conduction oil, steam, hot air with radiation pipe, box-type radiator to transport the heated air, also exhaust the moisture out of the oven. There are several 20mm*40mm evaporation gate for every 10m on the top of the oven to help deal with the humidity to keep the oven dry, and to reduce the corrosion caused by moisture.